

June 2021

BROCHURE

GEMINI-VENUS



The world's first long-range dual
iris scanning iris camera



The world's first long-range dual iris scanning iris camera

Features

- Side-gazing capturing capability: ± 25 degrees off-axis
- Secure on-board processing for data protection
- 1:1 and 1:N on-board matching with internal gallery of up to 5000 IDs
- Seamless system integration through intuitive API
- Auto-scanning capability

(※ Specifications & Color to change without notice)

Why IRITECH?

IriTech, Inc. is one of very few iris providers who owns all in-house proprietary technologies vital for deploying any scalable end-to-end iris ecosystem. With more than 20 years of experience in iris recognition technology and top-ranked NIST¹⁾-proven algorithms, IriTech has been trusted by many prestigious clients. Our systems have been deployed in multiple and multisector large scale projects ranging from governments to corporates due to its exceptional performance in tough environment. IriTech is proud to be the partner of choice, leading the iris biometrics technology.

¹⁾ National Institute of Standards and Technology

Technical specifications

| | |
|-------------------|---|
| CPU | I.MX6D (Cortex™-A9 Dual-Core, 1.0GHz, 10000DMIPS) |
| Memory | 2GB DDR3L RAM, 8GB eMMC |
| Multimedia | GPU: Vivante™ GC2000 Video Acceleration: 1080p60 H.264 Decode, 1080p30 H.264 Encode Camera Interface: MIPI CSI |
| Networking | Ethernet: 10/100/1000 Mbps |
| Connectivity | USB 2.0 client: x1(micro connector) TOF, Indicator LEDs |
| OS Support | Windows, Linux, eLinux, Android |
| Dimensions | Iris camera module: 70 x 28 x 27 mm IR-LED Board: 33 x 24 x 8.25 mm Gemini-Venus Main Board: 150 x 31 x 19 mm Gemini-Venus with case: 168 x 64 x 41 mm |
| Electronics Specs | Supply Voltage: 12V Digital I/O Voltage: 3.3V |
| Environmental | Operating (0 to 40°C) |
| Capture Distance | 35 – 50 cm (13.8 – 19.7 in) |
| Image Formats | ISO 19794-6, including K1, K2, K3, K7 |

Contact information

Headquarters

11166 Fairfax Boulevard,
Suite 302, Fairfax, VA
22030, USA
Tel: +1 703-877-2135
Fax: +1 703-877-2136

South Korea office

A-801, Daesung Dipolis Knowledge
Industry Center, 606, Seobusaet-gil,
Geumcheon-gu, Seoul 08504, KOREA
Tel: +82 2-872-3812
Fax: +82 2-872-3815

Viet Nam office

3th Floor, VP1-03, BCONS TOWER
Building, 176/1 - 176/3 Nguyen Van
Thuong St., Ward 25, Binh Thanh
District, Ho Chi Minh City, Vietnam.
Tel: +84 8-6297-9480

India office

320, Raheja Arcade, Koramangala,
Bangalore - 560095
Landline: +91 80-41643057
Phone: +91 98-45025278

Get in touch

Email: info@iritech.com
Website: www.iritech.com